

Centrify Privileged Access Service 21.7

Security and Known Issues

Security

- No security issues were resolved in this release.

Known Issues

The following sections describe common known issues or limitations associated with this release of Centrify Privileged Access Service (PAS).

Privileged Access Service

- Client machines where the Remote Access Kit is launched must have .NET 4.8 installed (CC-73921).
- Recorded Windows sessions are always shown as In progress in Centrify Audit Analyzer console if the RDP session is initiated from the Centrify Privilege Access Service portal via IE9 (CC-4281).
- PAS has a compatibility issue with the HP-UX 11.23 PA SSH server, version 3.7, and SSH to HP-UX 11.23 PA Trusted Mode will not work. We suggest you upgrade to a later SSH server upgrade or use Centrify OpenSSH in the Centrify Privilege Access Service (CC-2670).
- Audit events for secure shell sessions are recorded as Windows logon audit events if you use Centrify Infrastructure Service to log on to a UNIX or Linux computer (CC-30466).
- UNIX machines may have different types of accounts. For example, NIS user account, Active Directory user account and local user account. Centrify Privilege Access Service supports password management for local user account only. If other types of account are specified, the account health status might display "Failed" (CC-2616).
- Centrify Privilege Access Service fails to manage the account password on a Juniper switch if there is another account sharing the same UID (CC-33459).
- If a SafeNet appliance is used to store the passwords for Centrify Privilege Access Service, the SafeNet appliance firmware must be version 8.2 or above (CC-35809).
- For UNIX machines with Centrify Server Suite installed and configured to use Centrify MFA in the login, the PAS login session pauses at the prompt if Centrify Server Suite is configured to use a custom password prompt and the custom password prompt does not start with the word "Password". Hitting enter will continue the logon. To avoid this

behavior, please make sure the custom password prompt starts with the word "Password". For example, "Password for AD account" (CC-35567, CC-35397).

- For Windows machines configured to use only 15-bit color depth for remote sessions, remote access to the machine via PAS does not show the color and screen correctly. Setting the machine to use 16-bit color depth will fix the issue (CC-37770).
- Domain Local Groups may no longer be used in the resource permission and account permission pages. Domain Local Groups configured in a previous release will still function correctly. Please change to use Global Groups or Universal Groups (CC-39918).
- A user with Edit permission on an application cannot change the name or description in the application unless the user also has Edit permission on the associated resource and Check out permission on the associated multiplex account, if it is set. Similarly, a user with Grant permission on an application cannot change permissions on the application unless the user also has Edit permission on the associated resource and Check out permission on the associated multiplex account, if it is set (CC-40897).
- The cflush command does not flush the cache in the name service cache daemon (nscd). If nscd is running, please run the following command instead to ensure the newly updated login shell in Agent Settings is applied:

```
nscd -i passwd
```

(CC-42713).

- The local client for the SSH feature does not support Active Directory users configured for MFA using Centrify DirectControl. You can challenge users for MFA using Infrastructure Service prior to providing the credentials (KB-8028).
- When using the cunenroll command with the -d (delete) option, any other credentials added manually to the same resource will also be removed without confirmation (CC-42815).
- A Permission Denied error will be displayed when launching a resource session from the User Portal if the Portal Login permission is set with csetaccount with the -p option (CC-44394).
- After locking your screen, and after a period of time, you will be challenged twice for your password. This applies to some versions of Ubuntu using LightDM display manager (CC-44637).
- The SSH gateway file transfer feature has some compatibility issues with Microsoft's SSH service:
 - Files larger than 1MB will fail when using the SSH gateway's file transfer feature with a Windows 10 system enabled with Microsoft's SSH service (CC-50120).

- Users of the Windows 10 SSH client service may experience Connection Refused errors when using connection strings (CC-52034)
- The Privilege Service User (PSU) entitlement allows for the visibility control of systems, accounts, secrets and other objects. Note that if this entitlement is combined with the Privilege Service Portal User (PSPU), users with these entitlement combinations can view all resource types (CC-50688).
- Accounts in systems created by the default administrator (sysadmin) can be populated by users that belong to roles with the Privilege Service Administrator entitlement (CC-50285).
- “Verify Credential” for accounts with SSH keys on Palo Alto Networks devices is not yet functional, however login for such accounts does work (CC-62630).
- In order to save roles, groups or users on the member privilege elevation page of a custom system Set the user needs to have the Manage Assignment permission in the member permissions for that set (CC-77277).

Self-hosted Privileged Access Service

- The installer for the Centrify Connector will detect if .NET 4.8 is installed on the install machine and silently install if it is not already present. However the installer for self-hosted Privileged Access Service will not silently install .NET 4.8 if it is not present, so this should be manually installed prior to starting self-hosted Privileged Access Service installation (CC-73958, CC-75223).
- For on premise installations, the new improved database performance feature can be enabled for your installation if desired by going to the 'Advanced Settings' page and setting 'PLV8' = to 'True'. Note that if the portal performs reasonably when working with users, systems, and accounts, you are unlikely to benefit significantly enabling this new feature. Also note that this feature will not impact performance of RDP or SSH sessions (CC-62169).
- In order to upgrade a high availability install of self-hosted PAS you need to have at least two nodes – one master and one secondary node (CC-48479).
- Uninstalling the PAS server instance leaves the cloud connector cert on the machine after uninstall (CC-39975).
- Self-signed certificates are not recommended for self-hosted PAS deployment. If a self-signed certificate is used in the deployment, the Centrify Agent for Linux enrollment will fail because the system does not trust the self-signed certificate. In a testing or evaluation environment you can follow the instruction in KB-7973 to set up a trust with the self-signed certificate.

Alternatively, you can consider to disable certificate validation by specifying the following setting in `/etc/centrifycc/centrifycc.conf` :

agent.cert.validate: false

In a production environment a proper SSL certificate, signed by a public Certificate Authority is strongly recommended (CC-42012).

- Initial setup requires the folder C:\Program Data\Centrify\Centrify Identity Platform\data to be empty or the setup operation will fail. This may occur if initial setup was aborted or failed for some reason, so in this situation check the folder and remove any contents to allow setup to complete (CC-47821).

Clients

- Timestamps in the cloud client logs are based on UTC (CC-63703).
- Perl is required for the Centrify Client for Linux installation on Oracle but is not installed by default. As of Oracle 7.6 this is available as a separate install via:

```
sudo yum install -y perl
```

(CC-66757).

- Forcing an enrollment overwrites all settings, including any AAPM settings, made during csetaccount. If you force an enrollment you will need to run csetaccount again to return to the same AAPM setting as before the enrollment (CC-67665).
- When you log in to an enrolled system and your account is set up to use MFA redirection, the service prompts you for your password, not the password for the MFA redirect user. This feature is available on systems that have the Centrify Client installed and enrolled.(387469)
- When creating privilege elevation commands, Glob expressions work for simple commands (without parameters). If you have a complex expression, we recommend that you use a regular expression. (386141)
- For privilege elevation workflow activity, the events in the Activity log show that commands were run without an authentication challenge when in fact the user was challenged with additional authentication requests when running the command after the workflow request is approved. (388576)

Centrify Platform

Admin Portal

- Portal dialogs do not close on Firefox
Firefox browser security settings can prevent portal dialogs from closing when the close button is clicked. To change the setting to allow dialogs to close:
 - Type "about:config" in the Firefox address bar
 - Search for the "close" keyword

- Change the "dom.allow_scripts_to_close_windows" setting to "true" (CC-17079)

- Previews for TIFF and DIB image file logos may not show in Admin Portal
Uploaded image files on the Account Customization page in Admin Portal may not preview if they are TIFF or DIB format. This appears to be a limitation of the image file formats supported by each browser. JPEG, PNG and GIF files should preview on all supported browsers (CC-17462).
- Bulk user import using CSV file with IE fails
Internet Explorer tries to open files in the browser if there is no program associated with a given file extension. To work around this, assign a default program, such as Excel or other csv editor, to the csv extension as follows:

Go to Control Panel

→ Default Programs

→ Associate a file type or protocol with a specific program

Find the csv extension and associate your preferred program with it (CC-20070).

- Multiple user accounts with the same email address. Although it is possible to create multiple user accounts that have the same email address, logging in using that email address is not supported as it is not possible to definitively map the email address to a single user (CC-21536).
- Two certs displayed when logging in with Smart Card on IE and Chrome
On IE/Windows and Chrome/Mac, two identical certificates will be displayed, but only one is valid. The browsers randomly display the certificates so unfortunately we cannot help you identify the valid one (CC-34117).
- You should not use the space character (' ') in an administrator password. The password will be accepted but you will not be able to login using it (CC-39708).

Centrify Connector and Administration

- If you have an existing LDAP configuration that is working for you, we strongly recommend against upgrading to a new configuration with the new generic LDAP support. There is currently no migration utility, so upgrading requires deleting the old configuration and creating a new one, which will orphan all users associated with the existing configuration and would require re-creating security questions, OATH tokens, assigned applications, mobile authenticators, group / role memberships, etc. If you need to upgrade an existing configuration to the new LDAP support, contact Centrify Support for assistance (CC-65290, CC-71489).
- Connector prompts for reboot in post manual update
When updating Centrify Connector to a newer version, the installer may intermittently prompt for unnecessary reboot to continue the update. This only happens in a manual update but not with auto-update. (CC-70383)

- UserType attribute for a user shows as NULL in a report
This is expected for users that have not yet logged in, it is not an error. The field will be updated once the user has logged in or an event occurs which causes the user to be refreshed (CC-54160).
- In some circumstances connector upgrades may fail because the connector cannot be stopped as part of the upgrade process. If this happens, please stop the connector process and manually upgrade the connector. If your connectors auto-update, you can download the latest connector package from the Admin Portal by going to

Settings > Network > Centrify Connectors

clicking Add Centrify Connector and then downloading from the 64-bit link in the first step (CC-43527).

- Integrated Windows Authentication (IWA) fails through Web proxies
Integrated Windows Authentication (IWA) uses negotiation between a user's Web browser and an online Connector instance to validate the user's identity. If connectivity between the user's Web browser and an online Connector is not possible (e.g. the user is not on premise) or if that connectivity flows through a Web proxy, then IWA will silently fail and the user will be presented with the standard login process (CC-12126).
- Using IWA with a Connector machine running a firewall
To support IWA, you should check and ensure that https traffic is allowed to the Centrify.Cloud.Core.ProxyHost.exe executable for any/all networks on the Connector machine (CC-15625).
- Close ADUC before upgrading Centrify Connector
If the Active Directory Users and Computers (ADUC) extension for the Centrify Identity Service is installed, you should close ADUC before upgrading the Connector or the upgrade will fail as ADUC will have the extension open, preventing the binaries from being updated (CC-12447).
- Use of Active Directory administration tools
If you wish to use the Active Directory administration tools such as the ADUC plug-in or the Group Policy extension on computers not running the Connector, you should ensure you log into those computers with a local system account rather than a service account (CC-20059).
- Deleted AD users exist in roles and users list
If a Connector does not have permission to query deleted objects then deleted AD users will remain in the roles and users list after deletion, but these users will no longer be allowed to login. To remove deleted users, either give the Connector the necessary permission or manually remove them from the user and role member lists (CC-31317).
- A static IP address is required for the Cloud Connector machine (CC-50321).

Workflow

- The description column on the requests page (accessed via the requests tab) is English-only for the current version. In a future release this will be localized to the same language set as the rest of the Admin Portal (CC-4928).

Multi-factor Authentication (MFA)

- Ensure required data for each selected authentication factor is present
When selecting the use of a secondary factor (SMS, phone, email, etc) you should ensure that the data is present in Active Directory for all users otherwise it is possible that users with missing data may be locked out. You can specify a preferred factor and if not present an alternative factor will be used. For example, if a user has no phone number in AD and SMS was the preferred factor, the Centrify Platform will fall back to another selected factor (for example, email). If there is no phone number or email in AD in this case, the user would effectively be locked out.
- Email as an MFA mechanism is subject to spam / junk filters
Be aware that using email as an MFA mechanism may be affected by users' email providers' spam or junk filters.
- SMS / phone are only attempted once a password is validated
This prevents spam and billing issues if an attacker attempts to brute force passwords to gain entry.
- Can't close email authentication page on Firefox (CC-17079)
This is due to Firefox security setting not allowing scripts to close browser windows, a workaround is:
 - Type about:config in the firefox address bar
 - Now search for close keyword
 - Look for dom.allow_scripts_to_close_windows setting and set the value to true
- Occasional login failures when using third party RADIUS authentication
RADIUS should not be used for authentication unless all of your Connectors can reach the RADIUS server. Authentication is shared between the configured Connectors, so unless all Connectors can reach the RADIUS server the auth will appear to fail at random intervals. This issue will be resolved in an upcoming release (CC-40963).
- For FIDO2 and On-Device Authentication options you will need to login from the tenant specific URL (CC-72124).

iOS Devices

- None

Android Devices

- None